

STERIFLOW SERIES ECONOMICAL SOLUTION FOR SUPERIOR LIQUID FLOW

All SteriFlow modular manifolds are made of fiberglass-reinforced nylon, are economical and resistant to corrosion. The modular design makes these manifolds flexible and easy to use.

Each port has a built-in valve for easy shut-off. The manifolds are superior for economical liquid flow handling.



Features

- Fiberglass-reinforced nylon body (prevents rust in liquid lines)
- Different valve fitting options (hose barb or quick change plugs provide for connection flexibility)
- Mounting brackets (allow for easy installation)
- Specified number of ports
- 3/4" or 1" male fitting on both ends
- Built-in valves (are replaceable and allow user the ability to shutoff individual flow lines)
- Parallel manifold configuration (gives the user integral supply and return capability in one unit)


Options

- No options available

STERFLOW SERIES

| Material | Inlet Size, in. | Fitting Size, in. | Temperature Rating | Pressure Rating |
|-----------------------------|--------------------|-------------------|--------------------|-----------------|
| Fiberglass-Reinforced Nylon | 3/4" or 1" NPT (M) | 1/4", 3/8", 1/2" | 240°F (115.5°C) | 150 psi |

| Modular Manifolds | | | | |
|-------------------|-----------------------|-------------|---------------------|-------------|
| Number of Ports | Length A (3/4" Inlet) | | Length B (1" Inlet) | |
| | Part Number | In., (mm) | Part Number | In., (mm) |
| 4 | 743.00207.00 | 6.5 (165) | 743.00218.00 | 7.25 (184) |
| 6 | 743.00208.00 | 8.25 (210) | 743.00219.00 | 9.0 (229) |
| 8 | 743.00209.00 | 10.0 (254) | 743.00220.00 | 10.75 (273) |
| 10 | 743.00210.00 | 11.75 (298) | 743.00221.00 | 12.5 (318) |
| 12 | 743.00211.00 | 13.5 (343) | 743.00222.00 | 14.25 (362) |
| 16 | 743.00212.00 | 17.0 (432) | 743.00223.00 | 17.75 (451) |
| 20 | 743.00213.00 | 20.5 (521) | 743.00224.00 | 21.25 (540) |
| 24 | 743.00214.00 | 24.0 (610) | 743.00225.00 | 24.75 (629) |
| 28 | 743.00215.00 | 27.5 (699) | 743.00226.00 | 28.25 (718) |
| 32 | 743.00216.00 | 31.0 (787) | 743.00227.00 | 31.75 (806) |
| 36 | 743.00217.00 | 34.5 (876) | 743.00228.00 | 35.25 (895) |



STERFLOW SERIES

| Replacement and Spare Parts | | |
|-----------------------------|----------------------|--------------|
| Item | Description | Part Number |
| 1 | Port Body | 743.00229.00 |
| 2 | O-Ring | 743.00230.00 |
| 3 | Inlet Coupler | 743.00231.00 |
| 4 | End Plate | 743.00232.00 |
| 5 | Cap Plate | 743.00233.00 |
| 6 | Mounting Bracket Set | 743.00234.00 |
| 7 | Blue Handle | 743.00235.00 |
| 7 | Red Handle | 743.00236.00 |

| Brass Inlet Fittings | |
|------------------------------|--------------|
| 1" NPT (M) Inlet (1 piece) | 743.00237.00 |
| 3/4" NPT (M) Inlet (1 piece) | 743.00238.00 |

| Female Brass Couplers | |
|------------------------------|--------------|
| 1" NPT (F) Inlet (1 piece) | 743.00239.00 |
| 3/4" NPT (F) Inlet (1 piece) | 743.00240.00 |

| Brass Port Fittings | |
|-------------------------|--------------|
| 1/4" Hose Barb | 743.00241.00 |
| 1/4" Quick-Connect Plug | 743.00242.00 |
| 3/8" Hose Barb | 743.00243.00 |
| 3/8" Quick-Connect Plug | 743.00244.00 |
| 1/2" Hose Barb | 743.00245.00 |
| 1/2" Quick-Connect Plug | 743.00246.00 |

