

SYSTEM COMPONENTS SYSTEM COMPONENTS, TUBING AND PIPE

Tubing, pipe, elbows, couplers and other conveying components are available in a variety of sizes. Pickup wands, transitions, couplers, plugs and caps are also available.



Features

- Tubing is specified by OD and is 16 ga. (0.065) from 1.5 to 4 OD and 14 ga. (0.083) from 4.5 to 6 OD
- Pipe is specified by a schedule number, such as Sch. 5
- 1.5 , 2.0 , 2.25 , 2.5 , 3.0 , 3.5 (3 Sch. 5), 4.0 , 4.5 (4 Sch. 5), 5.0 , 5 Sch. 10, 6 , and 6 Sch. 10 OD Sizes

Options

- Aluminum or stainless steel construction
- 1.5 , 2.0 , 2.25 , 2.5 , 3.0 , 3.5 (3 Sch. 5), 4.0 , 4.5 (4 Sch. 5), 5.0 , 5 Sch. 10, 6 , and 6 Sch. 10 OD Sizes
- Specialty elbows to reduce angel hair



SYSTEM COMPONENTS

1.5" OD TUBING, 16 GA.

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	A0556552	10
20 ft. stainless steel	W00052362	25
Single line Y, aluminum	W00002141	1
Single line Y, stainless steel	W00012200	2
Manifold Y, 30° aluminum	W00001179	1
Manifold Y, 30° stainless steel	W00011183	1
Vacuum T	W00001891	1.5

1.5" OD ELBOWS, 16 GA.

Description	Model no.	Ship wt., lbs.
30°, 6" radii, aluminum	A0555400	1
30°, 7.5" radii, stainless steel	A0555408	1
30°, 18" radii, aluminum	A0555401	1.5
30°, 18" radii, stainless steel	A0555409	1.5
45°, 6" radii, aluminum	A0555402	1
45°, 7.5" radii, stainless steel	A0555410	1
45°, 18" radii, aluminum	A0555403	1.5
45°, 18" radii, stainless steel	A0555411	1.5
60°, 6" radii, aluminum	A0555404	1
60°, 7.5" radii, stainless steel	A0555412	1
60°, 18" radii, aluminum	A0555405	1.5
60°, 18" radii, stainless steel	A0555413	1.5
90°, 6" radii, aluminum	A0555406	1
90°, 7.5" radii, stainless steel	A0555414	1
90°, 18" radii, aluminum	A0555407	1.5
90°, 18" radii, stainless steel	A0555415	1.5

1.5" OD COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 3 bolts	W00003744	2.9

1.5" OD QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00001164	1
Female, quick chg, aluminum	W00001000	1
Plug, male, quick chg, almn.	W00001822	1
Cap, female, quick chg, almn.	W00001826	1

1.5" OD PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0533933
Single tube, stainless steel	A0533926
Double tube, aluminum	W00018213
Double tube, stainless steel	W00050295

1.5" OD HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00001091
10 ft. stainless steel flexible hose, plain end	W00001096
15 ft. stainless steel flexible hose, plain end	W00001101
20 ft. stainless steel flexible hose, plain end	W00001106
Flexible hose, clear vinyl	W00017594
Hose clamps	W0001917
Flexible hose, clear grounded vinyl	A0550737

1.5" OD ALUMINUM TRANSITIONS

Description	Model no.
1.5" to 2" OD	W00012338
1.5" to 3" OD	W00012274



SYSTEM COMPONENTS

2.0" OD TUBING, 16 GA.

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	A0556554	12
20 ft. stainless steel	W00052363	28.3
Single line Y, aluminum	W00002142	1
Single line Y, stainless steel	W00012199	2
Manifold Y, 30° aluminum	W00001155	1
Manifold Y, 30° stainless steel	W00011182	3.5
Vacuum T	W00001892	1.5

2.0" OD ELBOWS, 16 GA.

Description	Model no.	Ship wt., lbs.
30°, 9" radii, aluminum	A0555416	1
30°, 9" radii, stainless steel	A0555424	2.1
30°, 24" radii, aluminum	A0555417	2
30°, 24" radii, stainless steel	A0555425	6.3
45°, 9" radii, aluminum	A0555418	1
45°, 9" radii, stainless steel	A0555426	2.1
45°, 24" radii, aluminum	A0555419	2
45°, 24" radii, stainless steel	A0555427	6.3
60°, 9" radii, aluminum	A0555420	1
60°, 9" radii, stainless steel	A0555428	2.1
60°, 24" radii, aluminum	A0555421	2
60°, 24" radii, stainless steel	A0555429	6.3
90°, 9" radii, aluminum	A0555422	1
90°, 9" radii, stainless steel	A0555430	2.1
90°, 24" radii, aluminum	A0555423	2
90°, 24" radii, stainless steel	A0555431	6.3

2.0" OD COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 3 bolts	W00003745	3.1

2.0" OD QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00001166	1
Female, quick chg, aluminum	W00000781	1
Plug, male, quick chg, almn.	W00001823	1
Cap, female, quick chg, almn.	W00001827	1

2.0" OD PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0536900
Single tube, stainless steel	A0536901
Double tube, aluminum	W00002017
Double tube, stainless steel	W00050296

2.0" OD HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00001092
10 ft. stainless steel flexible hose, plain end	W00001097
15 ft. stainless steel flexible hose, plain end	W00001102
20 ft. stainless steel flexible hose, plain end	W00001107
Flexible hose, clear vinyl	W00050832
Hose clamps	W0001917
Flexible hose, clear grounded vinyl	A0550738

2.0" OD ALUMINUM TRANSITIONS

Description	Model no.
2.0" to 1.5" OD	W00012338
2.0" to 2.25" OD	W00012339
2.0" to 2.5" OD	W00013464
2.0" to 3.0" OD	W00012275



SYSTEM COMPONENTS

2.25" OD TUBING, 16 GA.

Description	Model no.	Ship wt., lbs.
20 ft, aluminum	A0556555	14
20 ft, stainless steel	W00052364	30
Single line Y, aluminum	W00002231	1
Single line Y, stainless steel	W00012198	3.5
Manifold Y, 30° aluminum	W00001156	2
Manifold Y, 30° stainless steel	W00011181	4
Vacuum T	W00001893	2

2.25" OD ELBOWS, 16 GA.

Description	Model no.	Ship wt., lbs.
30°, 9" radii, aluminum	W00017319	1
30°, 9" radii, stainless steel	W00017365	2.9
30°, 24" radii, aluminum	A0555432	2.4
30°, 24" radii, stainless steel	A0555436	7.2
45°, 9" radii, aluminum	W00017290	1
45°, 9" radii, stainless steel	W00017342	2.9
45°, 24" radii, aluminum	A0555433	2.4
45°, 24" radii, stainless steel	A0555437	7.2
60°, 9" radii, aluminum	W00017391	1
60°, 9" radii, stainless steel	W00017414	2.9
60°, 24" radii, aluminum	A0555434	2.4
60°, 24" radii, stainless steel	A0555438	7.2
90°, 9" radii, aluminum	W00018597	1
90°, 9" radii, stainless steel	W00017291	2.9
90°, 24" radii, aluminum	A0555435	2.4
90°, 24" radii, stainless steel	A0555439	7.2

2.25" OD COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 3 bolts	W00003746	3.2

2.25" OD QUICK COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00001168	1
Female, quick chg, aluminum	W00001170	1.5
Plug, male, quick chg, almn.	W00001824	1.4
Cap, female, quick chg, almn.	W00001828	1

2.25" OD PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0536902
Single tube, stainless steel	A0536903
Double tube, aluminum	W00002018
Double tube, stainless steel	W00050297

2.25" OD HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00001093
10 ft. stainless steel flexible hose, plain end	W0001098
15 ft. stainless steel flexible hose, plain end	W0001103
20 ft. stainless steel flexible hose, plain end	W0001108
Flexible hose, clear vinyl	W00050833
Hose clamps	W0051440
Flexible hose, clear grounded vinyl	A0550739

2.25" OD ALUMINUM TRANSITIONS

Description	Model no.
2.25" to 2" OD	W00012339
2.25" to 3" OD	W00012276



SYSTEM COMPONENTS

2.5" OD TUBING, 16 GA.

Description	Model no.	Ship wt., lbs.
20 ft, aluminum	A0556556	16
20 ft, stainless steel	W00052365	33
Single line Y, aluminum	W00003575	1.5
Single line Y, stainless steel	W00015431	4
Manifold Y, 30° aluminum	W00001157	2
Manifold Y, 30° stainless steel	W00011180	4.5
Vacuum T	W00001894	2.5

2.5" OD ELBOWS, 16 GA.

Description	Model no.	Ship wt., lbs.
30°, 9" radii, aluminum	W00017321	1.2
30°, 9" radii, stainless steel	W00017367	3.3
30°, 30" radii, aluminum	A0555440	2.9
30°, 30" radii, stainless steel	A0555444	8.2
45°, 9" radii, aluminum	W00017294	1.0
45°, 9" radii, stainless steel	W00017344	3.3
45°, 30" radii, aluminum	A0555441	2.9
45°, 30" radii, stainless steel	A0555445	8.2
60°, 9" radii, aluminum	W00017393	1.0
60°, 9" radii, stainless steel	W00017416	3.3
60°, 30" radii, aluminum	A0555442	2.9
60°, 30" radii, stainless steel	A0555446	8.2
90°, 9" radii, aluminum	W00017283	1.0
90°, 9" radii, stainless steel	W00017293	3.3
90°, 30" radii, aluminum	A0555443	2.9
90°, 30" radii, stainless steel	A0555447	8.2

2.5" OD COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 3 bolts	W00003747	3.3

2.5" OD QUICK COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00001169	1
Female, quick chg, aluminum	W00000725	1.5
Plug, male, quick chg, almn.	W00001824	1.4
Cap, female, quick chg, almn.	W00001828	1

2.5" OD PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0536904
Single tube, stainless steel	A0536905
Double tube, aluminum	W00002019
Double tube, stainless steel	W00050298

2.5" OD HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00001094
10 ft. stainless steel flexible hose, plain end	W0001099
15 ft. stainless steel flexible hose, plain end	W0001104
20 ft. stainless steel flexible hose, plain end	W0001109
Flexible hose, clear vinyl	W00050834
Hose clamps	W0051440
Flexible hose, clear grounded vinyl	A0550740

2.5" OD ALUMINUM TRANSITIONS

Description	Model no.
2.5" to 2.0" OD	W00013464
2.5" to 3.0" OD	W00012277



SYSTEM COMPONENTS

3.5" OD (3" SCH.5) TUBING, 16 GA.

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	A05565585	20
20 ft. stainless steel	A0556565	39
Single line Y, aluminum	A0556558	2.7
Single line Y, stainless steel	A0556566	7.5
Manifold Y, 30° aluminum	A0556559	2.6
Manifold Y, 30° stainless steel	A0556567	7.7
Vacuum T	A0556560	3.3

3.5" OD (3" SCH.5) ELBOWS, 16 GA.

Description	Model no.	Ship wt., lbs.
30°, 7.5" radii, aluminum	A0555452	2.0
30°, 8.75" radii, stainless steel	A0555456	5.9
30°, 36" radii, aluminum	A0556561	4.8
30°, 36" radii, stainless steel	A0556568	14.5
45°, 7.5" radii, aluminum	A0555453	2.0
45°, 8.75" radii, stainless steel	A0555457	5.9
45°, 36" radii, aluminum	A0556562	4.8
45°, 36" radii, stainless steel	A0556569	14.5
60°, 7.5" radii, aluminum	A0555454	2.0
60°, 8.75" radii, stainless steel	A0555458	5.9
60°, 36" radii, aluminum	A0556563	4.8
60°, 36" radii, stainless steel	A0556570	14.5
90°, 7.5" radii, aluminum	A0555455	2.0
90°, 8.75" radii, stainless steel	A0555459	5.9
90°, 36" radii, aluminum	A0556564	4.8
90°, 36" radii, stainless steel	A0556571	14.5

3.5" OD (3" SCH.5) COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	W00016769	5.1

3.5" OD (3" SCH.5) QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00000121	1.7
Female, quick chg, aluminum	W00002241	2.4
Plug, male, quick chg, almn.	W00001943	2.2
Cap, female, quick chg, almn.	W00001944	3.0

3.5" OD (3" SCH.5) PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0536908
Single tube, stainless steel	A0536909
Double tube, aluminum	W00018217
Double tube, stainless steel	W00050300

3.5" OD (3" SCH.5) HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00001881
10 ft. stainless steel flexible hose, plain end	W00001883
15 ft. stainless steel flexible hose, plain end	W00001885
20 ft. stainless steel flexible hose, plain end	W00001887
Flexible hose, clear vinyl	A0559377
Hose clamps	A0534115
Flexible hose, clear grounded vinyl	A0559378

3.5" OD (3" SCH.5) ALUMINUM TRANSITIONS

Description	Model no.
3.5" to 3.0" OD	A0555505
3.5" to 4.0" OD	A0555506



SYSTEM COMPONENTS

3.5" OD (3" SCH.5) TUBING, 16 GA.

Description	Model no.	Ship wt., lbs.
20 ft, aluminum	A05565585	20
20 ft, stainless steel	A05565565	39
Single line Y, aluminum	A05565558	2.7
Single line Y, stainless steel	A05565566	7.5
Manifold Y, 30° aluminum	A05565559	2.6
Manifold Y, 30° stainless steel	A05565567	7.7
Vacuum T	A05565560	3.3

3.5" OD (3" SCH.5) ELBOWS, 16 GA.

Description	Model no.	Ship wt., lbs.
30°, 7.5" radii, aluminum	A0555452	2.0
30°, 8.75" radii, stainless steel	A0555456	5.9
30°, 36" radii, aluminum	A0556561	4.8
30°, 36" radii, stainless steel	A0556568	14.5
45°, 7.5" radii, aluminum	A0555453	2.0
45°, 8.75" radii, stainless steel	A0555457	5.9
45°, 36" radii, aluminum	A0556562	4.8
45°, 36" radii, stainless steel	A0556569	14.5
60°, 7.5" radii, aluminum	A0555454	2.0
60°, 8.75" radii, stainless steel	A0555458	5.9
60°, 36" radii, aluminum	A0556563	4.8
60°, 36" radii, stainless steel	A0556570	14.5
90°, 7.5" radii, aluminum	A0555455	2.0
90°, 8.75" radii, stainless steel	A0555459	5.9
90°, 36" radii, aluminum	A0556564	4.8
90°, 36" radii, stainless steel	A0556571	14.5

3.5" OD (3" SCH.5) COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	W00016769	5.1

3.5" OD (3" SCH.5) QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00000121	1.7
Female, quick chg, aluminum	W00002241	2.4
Plug, male, quick chg, almn.	W00001943	2.2
Cap, female, quick chg, almn.	W00001944	3.0

3.5" OD (3" SCH.5) PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0536908
Single tube, stainless steel	A0536909
Double tube, aluminum	W00018217
Double tube, stainless steel	W00050300

3.5" OD (3" SCH.5) HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00001881
10 ft. stainless steel flexible hose, plain end	W00001883
15 ft. stainless steel flexible hose, plain end	W00001885
20 ft. stainless steel flexible hose, plain end	W00001887
Flexible hose, clear vinyl	A0559377
Hose clamps	A0534115
Flexible hose, clear grounded vinyl	A0559378

3.5" OD (3" SCH.5) ALUMINUM TRANSITIONS

Description	Model no.
3.5" to 3.0" OD	A0555505
3.5" to 4.0" OD	A0555506



SYSTEM COMPONENTS

4.0" OD TUBING, 16 GA.

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	A0539816	22
20 ft. stainless steel	A0539818	40
Manifold Y, 30° aluminum	A0539820	c.f.
Manifold Y, 30° stainless steel	A0539822	c.f.
Vacuum T	A0539824	c.f.

4.0" OD ELBOWS, 16 GA.

Description	Model no.	Ship wt., lbs.
30°, 12" radii, aluminum	A0539826	c.f.
30°, 18" radii, stainless steel	A0555460	c.f.
30°, 36" radii, aluminum	A0539827	c.f.
30°, 36" radii, stainless steel	A0539835	c.f.
45°, 12" radii, aluminum	A0539828	c.f.
45°, 18" radii, stainless steel	A0555461	c.f.
45°, 36" radii, aluminum	A0539829	c.f.
45°, 36" radii, stainless steel	A539837	c.f.
60°, 12" radii, aluminum	A0539830	c.f.
60°, 18" radii, stainless steel	A0555462	c.f.
60°, 36" radii, aluminum	A0539831	c.f.
60°, 36" radii, stainless steel	A0539839	c.f.
90°, 12" radii, aluminum	A0539832	c.f.
90°, 18" radii, stainless steel	A0555463	c.f.
90°, 36" radii, aluminum	A0539833	c.f.
90°, 36" radii, stainless steel	A0539841	c.f.

4.0" OD COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	W00002244	c.f.

4.0" OD QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00000120	c.f.
Female, quick chg, aluminum	W00001754	c.f.
Plug, male, quick chg, almn.	W00001943	c.f.
Cap, female, quick chg, almn.	W00001944	c.f.

4.0" OD PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0536912
Double tube, aluminum	W00018164

4.0" OD HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	A0539800
10 ft. stainless steel flexible hose, plain end	A0539801
15 ft. stainless steel flexible hose, plain end	A0539802
20 ft. stainless steel flexible hose, plain end	A0539803
Flexible hose, clear vinyl	A0556553
Hose clamps	W00001466
Flexible hose, clear grounded vinyl	A0556550

4.0" OD ALUMINUM TRANSITIONS

Description	Model no.
4.0" to 3.0" OD	A0555504
4.0" to 3.5" OD	A0555506



SYSTEM COMPONENTS

4.5" OD (4" SCH.5) TUBING, 14 GA.

Description	Model no.	Ship wt., lbs.
20 ft, aluminum	A0556572	24
20 ft, stainless steel	A0556579	42
Manifold Y, 30° aluminum	A0556573	3.0
Manifold Y, 30° stainless steel	A0556580	16
Vacuum T	A0556574	4

4.5" OD (4" SCH.5) ELBOWS, 14 GA.

Description	Model no.	Ship wt., lbs.
30°, 20" radii, aluminum	A0556575	6.2
30°, 20" radii, stainless steel	A0556581	18.3
30°, 48" radii, aluminum	A0555464	11.0
30°, 48" radii, stainless steel	A0555468	32
45°, 20" radii, aluminum	A0556576	6.2
45°, 20" radii, stainless steel	A0556582	18.3
45°, 48" radii, aluminum	A0555465	11.0
45°, 48" radii, stainless steel	A0555469	32
60°, 20" radii, aluminum	A0556577	6.2
60°, 20" radii, stainless steel	A0556583	18.3
60°, 48" radii, aluminum	A0555466	11.0
60°, 48" radii, stainless steel	A0555470	32
90°, 20" radii, aluminum	A0556578	6.2
90°, 20" radii, stainless steel	A0556584	18.3
90°, 48" radii, aluminum	A0555467	11.0
90°, 48" radii, stainless steel	A0555471	32

4.5" OD (4" SCH.5) COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	W00002990	7.7

4.5" OD (4" SCH.5) QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00004413	3.7
Female, quick chg, aluminum	W00004412	4.0
Plug, male, quick chg, almn.	W00012430	3.0
Cap, female, quick chg, almn.	W00002933	4.0

4.5" OD (4" SCH.5) PICK UP WANDS

Description	Model no.
Single tube, aluminum	A0536910
Single tube, stainless steel	A0536911

4.5" OD (4" SCH.5) HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00011876
10 ft. stainless steel flexible hose, plain end	W00011875
15 ft. stainless steel flexible hose, plain end	W00011874
20 ft. stainless steel flexible hose, plain end	W00011873
5 ft. reinforced flexible hose w/ tube adapters	W00017834
10 ft. reinforced flexible hose, tube adapters	W00017835
15 ft. reinforced flexible hose, tube adapters	W00017836
20 ft. reinforced flexible hose, tube adapters	W00017837



SYSTEM COMPONENTS

5.0" OD TUBING, 14 GA.

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	A0550730	26
20 ft. stainless steel	A0539819	44
Mitered bend, 90°, aluminum	A0559300	c.f.
Manifold Y, 30° aluminum	A0539821	c.f.
Manifold Y, 30° stainless steel	A0539823	c.f.
Vacuum T	A0539825	c.f.

5.0" OD ELBOWS, 14 GA.

Description	Model no.	Ship wt., lbs.
30°, 30" radii, aluminum	A0555472	c.f.
30°, 30" radii, stainless steel	A0555476	c.f.
30°, 48" radii, aluminum	A0539843	c.f.
30°, 48" radii, stainless steel	A0539851	c.f.
45°, 30" radii, aluminum	A0555473	c.f.
45°, 30" radii, stainless steel	A0555477	c.f.
45°, 48" radii, aluminum	A0539845	c.f.
45°, 48" radii, stainless steel	A0539853	c.f.
60°, 30" radii, aluminum	A0555474	c.f.
60°, 30" radii, stainless steel	A0555478	c.f.
60°, 48" radii, aluminum	A0539847	c.f.
60°, 48" radii, stainless steel	A0539855	c.f.
90°, 30" radii, aluminum	A0555475	c.f.
90°, 30" radii, stainless steel	A0555479	c.f.
90°, 48" radii, aluminum	A0539849	c.f.
90°, 48" radii, stainless steel	A0539857	c.f.

5.0" OD COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	A0556586	c.f.

5.0" OD QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	A0556587	c.f.
Female, quick chg, aluminum	A0556588	c.f.
Plug, male, quick chg, almn.	A0556589	c.f.
Cap, female, quick chg, almn.	A0556590	c.f.

5.0" OD HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	A0539804
10 ft. stainless steel flexible hose, plain end	A0539805
15 ft. stainless steel flexible hose, plain end	A0539806
20 ft. stainless steel flexible hose, plain end	A0539807
5 ft. reinforced flexible hose w/ tube adapters	A0539812
10 ft. reinforced flexible hose, tube adapters	A0539813
15 ft. reinforced flexible hose, tube adapters	A0539814
20 ft. reinforced flexible hose, tube adapters	A0539815



SYSTEM COMPONENTS

5.0" SCH. 10 PIPE

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	W00052359	28
20 ft. stainless steel	W00052369	46
Mitered bend, 90°, aluminum	A0559301	c.f.
Manifold Y, 30° aluminum	W00015453	7.5
Manifold Y, 30° stainless steel	W00015452	24
Vacuum T	W00016773	4.5

5.0" SCH. 10 ELBOWS

Description	Model no.	Ship wt., lbs.
30°, 30" radii, aluminum	A0555480	10.9
30°, 30" radii, stainless steel	W0555484	35.6
30°, 48" radii, aluminum	W00017332	17
30°, 48" radii, stainless steel	W00017378	55.3
45°, 30" radii, aluminum	A0555481	10.9
45°, 30" radii, stainless steel	A0555485	35.6
45°, 48" radii, aluminum	W00017311	17
45°, 48" radii, stainless steel	W00017355	55.3
60°, 30" radii, aluminum	A0555482	10.9
60°, 30" radii, stainless steel	A0555486	35.6
60°, 48" radii, aluminum	W00017404	17
60°, 48" radii, stainless steel	W00017427	55.3
90°, 30" radii, aluminum	A0555483	10.9
90°, 30" radii, stainless steel	A0555487	35.6
90°, 48" radii, aluminum	W00003044	17
90°, 48" radii, stainless steel	W00003100	55.3

5.0" SCH. 10 COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	W00002991	8.1

5.0" SCH.10 QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00012428	5
Female, quick chg, aluminum	W00012429	6
Plug, male, quick chg, almn.	W00012431	5.5
Cap, female, quick chg, almn.	W00012432	4.5

5.0" SCH. 10 HOSES

Description	Model no.
5 ft. stainless steel flexible hose, plain end	W00011576
10 ft. stainless steel flexible hose, plain end	W00011577
15 ft. stainless steel flexible hose, plain end	W00011578
20 ft. stainless steel flexible hose, plain end	W00011579
5 ft. reinforced flexible hose w/ tube adapters	W00017838
10 ft. reinforced flexible hose, tube adapters	W00017839
15 ft. reinforced flexible hose, tube adapters	W00017840
20 ft. reinforced flexible hose, tube adapters	W00017841



SYSTEM COMPONENTS

6.0" OD TUBING, 14 GA.

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	A0559305	Consult Factory
20 ft. stainless steel	A0559321	
Mitered bend, 90°, aluminum	A0559302	
Manifold Y, 30° aluminum	A0559306	
Manifold Y, 30° stainless steel	A0559322	
Vacuum T	A0559307	

6.0" OD ELBOWS, 14 GA.

Description	Model no.	Ship wt., lbs.
30°, 30" radii, aluminum	A0559308	13.6
30°, 30" radii, stainless steel	A0559323	42.3
30°, 48" radii, aluminum	A0559309	21.3
30°, 48" radii, stainless steel	A0559324	65.9
45°, 30" radii, aluminum	A0559310	13.6
45°, 30" radii, stainless steel	A0559325	42.3
45°, 48" radii, aluminum	A0559311	21.3
45°, 48" radii, stainless steel	A0559326	65.9
60°, 30" radii, aluminum	A0559312	13.6
60°, 30" radii, stainless steel	A0559327	42.3
60°, 48" radii, aluminum	A0559313	21.3
60°, 48" radii, stainless steel	A0559328	65.9
90°, 30" radii, aluminum	A0559314	13.6
90°, 30" radii, stainless steel	A0559329	42.3
90°, 48" radii, aluminum	A0559315	21.3
90°, 48" radii, stainless steel	A0559330	65.9

6.0" OD COUPLERS, 14 GA.

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	A0559316	10.4

6.0.0" OD QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	A0559317	7.5
Female, quick chg, aluminum	A0559318	8.5
Plug, male, quick chg, almn.	A0559319	8.0
Cap, female, quick chg, almn.	A0559320	5.8

6.0" SCH. 10 COUPLERS

Description	Model no.	Ship wt., lbs.
Bolted, 4 bolts	W00015847	10.4



6.0" SCH. 10 OD ELBOWS

Description	Model no.	Ship wt., lbs.
30°, 30" radii, aluminum	A0555488	13.6
30°, 30" radii, stainless steel	A0555496	42.3
30°, 60" radii, aluminum	A0555489	21.3
30°, 60" radii, stainless steel	A0555497	65.9
45°, 30" radii, aluminum	A0555490	13.6
45°, 30" radii, stainless steel	A0555498	42.3
45°, 60" radii, aluminum	A0555491	21.3
45°, 60" radii, stainless steel	A0555499	65.9
60°, 30" radii, aluminum	A0555492	13.6
60°, 30" radii, stainless steel	A0555500	42.3
60°, 60" radii, aluminum	A0555493	21.3
60°, 60" radii, stainless steel	A0555501	65.9
90°, 30" radii, aluminum	A0555494	13.6
90°, 30" radii, stainless steel	A0555502	42.3
90°, 60" radii, aluminum	A0555495	21.3
90°, 60" radii, stainless steel	A0555503	65.9

6.0" SCH. 10 PIPE

Description	Model no.	Ship wt., lbs.
20 ft. aluminum	W00052360	32
20 ft. stainless steel	W00052370	50
Mitered bend, 90°, aluminum	A0559303	c.f.
Manifold Y, 30° aluminum	W00050412	9.5
Manifold Y, 30° stainless steel	W00050414	32
Vacuum T	A05559304	c.f.

6.0" SCH. 10 QUICK CHANGE COUPLERS

Description	Model no.	Ship wt., lbs.
Male, quick chg, aluminum	W00015838	7.5
Female, quick chg, aluminum	W00015839	8.5
Plug, male, quick chg, almn.	W00015840	8.0
Cap, female, quick chg, almn.	W00015841	6.0

6.0" SCH. 10 OD HOSES

Description	Model no.
10 ft. stainless steel flexible hose, plain end	W00015842
15 ft. stainless steel flexible hose, plain end	W00015843
20 ft. stainless steel flexible hose, plain end	W00015844
5 ft. r einforced flexible hose w/ tube adapters	W00017846
10 ft. reinforced flexible hose, tube adapters	W00017847
15 ft. r einforced flexible hose, tube adapters	W00017848
20 ft. r einforced flexible hose, tube adapters	W00017849

